






# Sprinkler & Jet Accessories






## Stakes, meter adaptors, tubing & spare parts

A wide range of Rivulis accessories to complete your irrigation system for multiple applications


# Product List

Stakes			
Product Description	Quantity (box)	Product Number	
Cantal Stake 35 cm (For Ultra Nozzles and Meteors)	550	201000259	
Cantal Stake 45 cm (For Ultra Nozzles and Meteors)	220	201000851	
Cantal Stake 60 cm (For Ultra Nozzles and Meteors)	220	201000852	
Cantad (Clips Hammer) Stake Black (For Tornado Ray Jet, Micro Sprinkler, threaded Rondo, or Conic Rondo)	350	201000258	
Hammer Stake (Super) 4/7 3/8" F (For Rondo, RFR, Jet+, JFR)	320	201000207	
Metal Rod 8 mm 1.20 m	-	101003758	

Connectors			
Product Description	Quantity (bag)	Product Number	
4x7 Blue Barb Coupling (Connects Micro Tube to Hose Lateral)	5000	201000205	
6 mm Female Conic plunger	5000	101001966	
6 mm Male Plunger Male Conic x Barb (Connects to Micro Tube with Female Conic End)	5000	101001882	
Male Conic Coupler (6 mm)	100	101003735	
Male Conic x 1/2" female Threads (Adapter from PVC to Rondo Female Conic end)	500	201000206	
Female Conic x 1/2" female Threads (Adapter from PVC to Tornado Male Conic End)	500	201000276	
6 mm Flat barb Plunger Female Conic x Barbed Gromet (To Insert Laterals to a Male Conic End)	100	101003727	
6 mm Conic Male Plug	100	Consult	
9 mm Flat Barb Plunger	100	101003728	
9 mm Male Conic x 12 mm Barb Connector	100	101003726	
9 mm Conic Male Plug	100	101003725	

## Rivulis Jet+ Parts

Product Description	Color	Quantity (box)	Product Number
Jet+ Cover 360°	Black	8000	201000194
Jet+ Cover 300°	Orange	8000	201000195
Jet+ Cover 180°	Red	8000	201000787



## Micro Sprinkler Tubing Assemblies

Tube Type	Tube Length (cm)	Connector (start)	Connector (end)	Product Number
4x7 mm PE	60	Blue Start Connector		201000255
4x7 mm PE	60	Male Conic		101029288
4x7 mm PE	60	Blue Start Connector	Female Conic	101011442
4x7 mm PE	60	Blue Start Connector	Male Conic	201000256
4x7 mm PE	60	Male Conic	Female Conic	101029373
4x7 mm PE	60	Male Conic	Male Conic	101013020
5x8 mm PE	60	Blue Start Connector		101003692
5x8 mm PE	120	Male Conic		101010934
4x7 mm PVC	35	Blue Start Connector	Female Conic	101029341
4x7 mm PVC	35	Blue Start Connector	Male Conic	101029340
4x7 mm PVC w/ Weight	35	Blue Start Connector	Female Conic	101022996
4x7 mm PVC w/ Weight	35	Blue Start Connector	Male Conic	201000260














## Anti Leak Valves and Weights

Product Description	Pressure Rating	Inlet*	Outlet*	Quantity (bag)	Product Number	
Anti Leak Valve Low Pressure (For use with Rondo Mist, Rondo Micro, Tornado, and Feeder Tubing)	Low	3/8w Male Threads/ Female Conic	Male Conic (dual flow direction model)	1000	201000202	
Anti Leak Valve Low Pressure (For use with Tornado Mist without Feeder Tubing)	Low	3/8w Male Threads/ Female Conic	Barb (dual flow direction model)	1000	201000203	
Anti Leak Valve Standard (For use with Rondo Mist with out feeder Tubing)	Low	Barb	Male Conic (dual flow direction model)	1000	201000204	
Anti Leak Valve High Pressure (For use with Rondo Mister, FLF 2 Way and 4 Way)	High	3/8w Male Threads/ Female Conic	Male Conic	1000	201000236	
Anti Leak Valve High Pressure (For use with Tornado Mister and Without Feeder Tubing)	High	Barb	3/8" Male Threads/Female Conic	1000	201000831	
Anti Leak Valve High Pressure (For Use with Rondo Mister, FLF 2 Way and 4 Way and Without Feeder Tubing)	High	Barb	Male Conic	1000	201000832	
Anti Leak Valve High Pressure (For Use With Tornado Mister and single outlet FLF)	High	Male Conic	3/8" Male Threads/Female Conic	1000	201000833	
Weight White				400	101003723	
4x7 Start connector grommet				4000	101003862	

\*All anti leak valves are single direction flow as indicated by the arrow on the unit unless marked as *Dual Direction Model* in which case there is no required flow direction.

## Nozzles for Rivulis RFR and JFR

Product Description	Flow Rate (lph)	Nozzle	Quantity (box)	Product Number	
Nozzle (Flow Regulated) 3/8" Male Thread	23	Black	5000	201000785	
Nozzle (Flow Regulated) 3/8" Male Thread	30	Blue	5000	201000786	
Nozzle (Flow Regulated) 3/8" Male Thread	41	D. Blue	5000	201000190	
Nozzle (Flow Regulated) 3/8" Male Thread	53	Green	5000	201000191	
Nozzle (Flow Regulated) 3/8" Male Thread	70	Red	5000	201000192	
Nozzle (Flow Regulated) 3/8" Male Thread	95	White	5000	201000193	

## Nozzles for Rivulis Rondo / Jet+



Product Description	Flow Rate (lph)	Nozzle	Quantity (box)	Product Number
Nozzle 3/8" Male Thread/Female Conic	39	Black	7000	201000158
Nozzle 3/8" Male Thread/Female Conic	51	Blue	7000	201000159
Nozzle 3/8" Male Thread/Female Conic	64	Dark Blue	7000	201000770
Nozzle 3/8" Male Thread/Female Conic	75	Green	7000	201000160
Nozzle 3/8" Male Thread/Female Conic	102	Red	7000	201000161
Nozzle 3/8" Male Thread/Female Conic	132	White	7000	201000162
Nozzle 3/8" Male Thread/Female Conic	174	Purple	7000	201000163
Nozzle 3/8" Male Thread/Female Conic	205	Yellow	7000	201000164
Nozzle 3/8" Male Thread/Female Conic	254	Brown	7000	201000771
Nozzle 3/8" Male Thread/Female Conic	298	Orange	7000	201000165



## Ultra Nozzles for Rivulis Rondo and Jet

Product Description	Flow Rate (lph)	Nozzle	Quantity (box)	Product Number
Ultra Nozzle Female Conic	39	Black	8000	201000166
Ultra Nozzle Female Conic	51	Blue	8000	201000167
Ultra Nozzle Female Conic	64	Dark Blue	8000	201000922
Ultra Nozzle Female Conic	75	Green	8000	201000168
Ultra Nozzle Female Conic	102	Red	8000	201000169
Ultra Nozzle Female Conic	132	White	8000	201000170
Ultra Nozzle Female Conic	174	Violet	8000	201000171
Ultra Nozzle Female Conic	205	Yellow	8000	201000172
Ultra Nozzle Female Conic	254	Brown	8000	201000890
Ultra Nozzle Female Conic	298	Orange	8000	201000173
Ultra Nozzle 5 mm Thread	30	Light Blue	7000	201000772
Ultra Nozzle 5 mm Thread	39	Black	7000	201000174
Ultra Nozzle 5 mm Thread	51	Blue	7000	201000176
Ultra Nozzle 5 mm Thread	64	Dark Blue	7000	201000175
Ultra Nozzle 5 mm Thread	75	Green	7000	201000177
Ultra Nozzle 5 mm Thread	102	Red	7000	201000178
Ultra Nozzle 5 mm Thread	132	White	7000	201000773












## Rondo Bridge and Anti Insect

Product Description	Quantity (box)	Product Number	
Double Bridge Rondo	4500	201000185	
Anti Insect Cap	-	201000186	




## Rivulis Rondo / RFR Spinners & Deflectors

Product Description	Quantity (bag)	Product Number	
Deflector 2X30°, Blue	5000	201000275	
Deflector 90°, Black	5000	201000188	

## Rivulis Rondo / RFR Spinners & Deflectors

Product Description	Quantity (bag)	Product Number	
Deflector 180°, Red	5000	201000189	
Deflector 360°, Green	5000	201000238	
Deflector Mist 360°, Purple	5000	201000187	
Spinner Vertical, Convex Trajectory, Black	5000	201000179	
Spinner Vertical, Flat Trajectory, Purple	5000	201000183	
Spinner Inverted, Convex Trajectory, Green	5000	201000182	
Spinner Inverted, Flat Trajectory, Blue	5000	201000181	
Spinner Vertical Limiter, Black	5000	201000184	
Spinner Vertical, Convex Trajectory (RFR), Grey	5000	201000180	
Spinner Inverted, Flat Trajectory (RFR), Red	5000	201000293	
Spinner Vertical (RFR) Limiter, Grey	5000	201000252	

## Rivulis S2000 Bridge, Upper Bearing & Trunk Protector

Product Description	Quantity (box)	Product Number	
Bridge	3000	201012708	
Upper Bearing	15000	201012709	
Trunk Protector	20000	201013819	

## Rivulis S2000 Spinners

Product Description	Quantity (box)	Product Number	
Spinner - Non-PC - Black	15000	201000179	
Spinner - Non-PC - Dark Blue	15000	201012710	
Spinner - Non-PC - Black with range limiter	15000	201000184	
Spinner - PC - Grey	15000	201000180	
Spinner - PC - Grey with range limiter	15000	201000252	

## Rivulis S2000 Nozzles


Product Description	Type	Quantity (box)	Product Number	
Nozzle - Light blue 29 (0.77mm)	3/8" Threaded x Female Conical	3000	201013791	
Nozzle - Black 37 (0.85mm)		3000	101029244	
Nozzle - Blue 51 (1.0mm)		3000	201013792	
Nozzle - Dark blue 61 (1.1mm)		3000	201013793	
Nozzle - Green 75 (1.2mm)		3000	101029245	
Nozzle - Red 97 (1.4mm)		3000	201013794	
Nozzle - White 125 (1.6mm)		3000	101029246	
Nozzle - Violet 170 (1.8mm)		3000	101029247	
Nozzle - Yellow 205 (2.0mm)		3000	101029248	
Nozzle - Brown 260 (2.2mm)		3000	201013795	
Nozzle - Orange 300 (2,4mm)		3000	101029249	
Nozzle - Light blue 29 (0.77mm)		Conic Female	3000	
Nozzle - Black 37 (0.85mm)	3000		201013797	
Nozzle - Blue 51 (1.0mm)	3000		201013798	
Nozzle - Dark blue 61 (1.1mm)	3000		201013799	
Nozzle - Green 75 (1.2mm)	3000		201013800	
Nozzle - Red 97 (1.4mm)	3000		201013801	
Nozzle - White 125 (1.6mm)	3000		201013802	
Nozzle - Light blue 29 (0.77mm)	5 mm Threaded	3000	201013807	
Nozzle - Black 37 (0.85mm)		3000	201013808	
Nozzle - Blue 51 (1.0mm)		3000	201013809	
Nozzle - Dark blue 61 (1.1mm)		3000	201013810	
Nozzle - Green 75 (1.2mm)		3000	201013811	
Nozzle - Red 97 (1.4mm)		3000	201013812	
Nozzle - White 125 (1.6mm)		3000	201013813	
Nozzle - Violet 170 (1.8mm)		3000	201013814	
Nozzle - Yellow 205 (2.0mm)		3000	201013815	
Nozzle - Black 24 (0.85mm)	Pressure Compensated 3/8" Threaded	2000	101038395	
Nozzle - Blue 31 (1.0mm)		2000	201013816	
Nozzle - Dark blue 41 (1.1mm)		2000	201013817	
Nozzle - Green 53 (1.2mm)		2000	101038397	
Nozzle - Red 70 (1.4mm)		2000	201013818	
Nozzle - White 95 (1.6mm)		2000	101038398	






## Meteor Adaptors

Product Description	Color	Material	Inlet	Outlet	Connects with	Applications	Quantity (box)	Product Number	
Meteor 44	Black	PP	Barb	3/8" THF	4x7 mm Tubing	Rondo/S2000 3/8", Jet+, RFR, JFR, Super XL	3500	201000822	
Meteor 54	Brown	Acetal	Barb	3/8" THF	4x7 mm, 5x8 mm Tubing	Rondo/S2000 3/8", Jet+, RFR, JFR, Super XL	3500	201000865	
Meteor 46	Black	PP	Barb	1/2" THM/ 3/8" THF	4x7 mm	Tornado Take Apart	1500	201000200	
Meteor 46 1.5 bar Regulation	Black	PP	Barb	1/2" THM/ 3/8" THF	4x7 mm	Tornado Take Apart	1500	201000828	
Meteor 47	Black	PP	Barb	3/8" THF	4x7 mm, 5x8 mm	Rondo/S2000 3/8", Jet+, RFR, JFR	1500	201000866	
Meteor 67	Black	PP	1/2" Male	3/8" THF	1/2" Female Thread	Rondo, Jet+, Super XL	1500	201012728	
Meteor 67 1.5 bar Regulation	Green	PP	1/2" Male	3/8" THF	1/2" Female Thread	HydroBloom 8 mm (with adapter)	1500	101012735	
Meteor 14	Black	PP	10 x 12 Barb	3/8" THF	PE 10x12 mm y PVC 9x13 mm	Rondo, Super XL	1500	201000818	
Meteor 17 2.0 bar Regulated	Black	PP	10 x 12 Barb	3/8" THF	PE 10x12 mm y PVC 9x13 mm	Rondo, Super XL	1500	201000826	
Meteor 17 2.5 bar Regulated	Black	PP	10 x 12 Barb	3/8" THF	PE 10x12 mm y PVC 9x13 mm	Rondo, Super XL	1500	201000827	
Meteor 20	Black	PP	5 mm Thread	3/8" THF	4x7 mm	Rondo/S2000 3/8", Jet+, RFR, JFR	1500	201014896	
Meteor 71	Black	Acetal	Conic Female	Conic Female	Conic male	Tornado, Anti-Leak	1500	201000201	
Meteor 75	Black	Acetal	Conic Female	3/8" Female Trheaded	Conic Male	Rondo/S2000 3/8", Jet+, RFR, JFR	1500	201000881	
Holder	Black						4500	201000846	

## Rivulis Super XL & S5000 Assemblies

Product Description	Product Number	
Super XL 3/8" Field Stand Assembly with 120 cm 9 x 13 PVC (with Meteor 14)	101003707	
Super XL 3/8" Field Stand Assembly with 60 cm 9 x 13 PVC (with Meteor 14)	101022758	
Super XL / S5000 1/2" Field Stand Assembly with 120 cm 9 x 13 PVC	101029448	
Super XL / S5000 1/2" Field Stand Assembly with 60 cm 9 x 13 PVC	101048345	

## Rivulis S5000 Nozzles

Product Description	Product Number	
Front Nozzle   2.6 mm Yellow	101038416	
Front Nozzle   2.9 mm Orange	101038417	
Front Nozzle   3.2 mm Green	101043000	
Front Nozzle   3.5 mm Blue	WT13823	
Front Nozzle   4.0 mm Black	101047599	
Rear Nozzle   1.8 mm Light Green	101038418	
Rear Nozzle   2.5 mm Yellow	WT13824	
Rear Plug Black	101038419	



Case study outcomes are for information purposes only and actual results may vary. This literature has been compiled for worldwide circulation and the descriptions, photos, and information are for general purpose use only. Please consult with an irrigation specialist and technical specifications for proper use of Rivulis products. Because some products are not available in all regions, please contact your local dealer for details. Rivulis reserves the right to change specifications and the design of all products without notice. Every effort has been used to ensure that product information, including data sheets, schematics, manuals and brochures are correct. However information should be verified before making any decisions based on this information.